



DLW
Industrietechnik
GmbH

BROCHURE

CABLE REEL



CABLE REEL (PLASTIC)



DLW-01INGPC-55BG

CENTER FIXED PLASTIC CABLE REEL- INDUSTRIAL




Output:	1 Germany socket + 2 Industrial socket
Cable:	H07RN-F 3G1.5 mm2
Length:	Max. 50m
Current:	16A
Voltage:	250V~
Protection:	with shutter
Certificate:	GS, REACH



DLW-FC-5BG
DLW-FC-5BGH

4 WAY PORTABLE CABLE REEL




Output:	4 sockets German
Cable:	H05VV-F 3G1.5 mm2
Length:	5m
Current:	16A
Voltage:	250V~
Protection:	with shutter
Certificate:	GS, REACH

DLW-FC-5BG




DLW-FC-5BGH



DLW-OMP-11F

AUTOMATIC CABLE REEL




Output:	4 sockets German
Cable:	H05VV-F 3G1.5 mm2
Length:	10m
Current:	16A
Voltage:	250V~
Protection:	with shutter
Certificate:	GS, REACH



DLW-OMP-G25MU

CABLE REEL



Output:	4 sockets German
Cable:	H05VV-F 3G1.5 mm2
Length:	15m
Current:	16A
Voltage:	250V~
Protection:	with shutter
LED:	600lm





25M VERSION




40M VERSION



Cable:	H07RN-F 3G2.5 mm2
Length:	40m
Current:	16A
Voltage:	250V~
Protection:	with shutter
Certificate:	GS, REACH
IP:	IP44




DLW-OXP-18B 4 WAY CABLE REEL WITH THERMAL CUT-OUT



Output:	4 sockets German
Cable:	H05VV-F 3G1.5 mm ²
Length:	40m
Current:	16A
Voltage:	250V~
Protection:	with shutter
Certificate:	GS, REACH



DLW-OXP-14B 4 WAY CABLE REEL WITH THERMAL CUT-OUT



Output:	4 sockets German
Cable:	H07RN-F 3G2.5 mm ²
Length:	40m
Current:	16A
Voltage:	250V~
Protection:	with shutter
Certificate:	GS, REACH




DLW-OXP-43B**4 WAY CABLE REEL WITH THERMAL CUT-OUT**

Output:	4 sockets German
Cable:	H05VV-F 3G1.5 mm ²
Length:	Max. 40m
Current:	16A
Voltage:	250V~
Protection:	with shutter
Certificate:	GS, REACH

**DLW-OXP-44B****4 WAY CABLE REEL WITH THERMAL CUT-OUT**

Output:	4 sockets German
Cable:	H07RN-F 3G2.5 mm ²
Length:	Max. 40m
Current:	16A
Voltage:	250V~
Protection:	with shutter
Certificate:	GS, REACH



CABLE REEL (METAL)


DLW-30/FM-BGY-IP

CENTER FIXED METAL CABLE REEL - FRENCH OR GERMANY



Output:	4 sockets German
Cable:	H05VV-F 3G1.5 mm ²
Length:	5m
Current:	16A
Voltage:	250V~
Protection:	with shutter
Certificate:	GS, REACH



DLW-OXP-5BU2K**3 WAY CABLE REEL WITH THERMAL CUT-OUT**

Output:	3 sockets German + 2 USB
Cable:	H05VV-F 3G1.5 mm2
Length:	Max. 50m
Current:	16A
Voltage:	250V~
Protection:	with shutter
Certificate:	GS, REACH




2 USBs (total max. 2.4A)

Germany socket 16A / 250V

2 USBs (Type A: max. 1.8W;
Type C: max. 20W)

Germany socket 16A / 250V

**DLW-OXP-30BP****CENTER FIXED METAL CABLE REEL - 4 FRENCH OR GERMANY SOCKETS**

Output:	4 sockets German
Cable:	H05VV-F 3G1.5 mm2
Length:	Max. 40m
Current:	16A
Voltage:	250V~
Protection:	with shutter
Certificate:	GS, REACH

**DLW-01NGMC-50BG****CENTER FIXED METAL CABLE REEL-INDUSTRIAL**

Output:	1 Germany socket + 2 Industrial socket
Cable:	H07RN-F 3G1.5 mm2
Length:	Max. 50m
Current:	16A
Voltage:	250V~
Protection:	with shutter
LED:	600lm



MULTI-OUTLET EXTENSION SOCKET




MULTI-OUTLET EXTENSION SOCKET



DLW-02FS/4BKC-IP

MULTI-OUTLET EXTENSION SOCKET IP44



Output:	4 sockets German
Cable:	H07RN-F 3G1.5 mm2
Length:	5m
Current:	16A
Voltage:	250V~
Protection:	with shutter
Certificate:	GS, REACH



DLW-02FS/4C MULTI-OUTLET EXTENSION SOCKET




Output:	4 sockets German
Cable:	H05VV-F 3G1.5 mm2
Length:	3m
Current:	16A
Voltage:	250V~
Protection:	with shutter
Certificate:	GS, REACH




DLW-02FS/5KC MULTI-OUTLET EXTENSION SOCKET



Output:	5 sockets German
Cable:	H05VV-F 3G1.5 mm2
Length:	5m
Current:	16A
Voltage:	250V~
Protection:	with shutter
Certificate:	GS, REACH




DLW-02FS/3BC-IP MULTI-OUTLET EXTENSION SOCKET



Output:	3 sockets German
Cable:	H07RN-F 3G1.5 mm2
Length:	5m
Current:	16A
Voltage:	250V~
Protection:	with shutter
Certificate:	GS, REACH



DLW-02FS/4C MULTI-OUTLET EXTENSION SOCKET



Output:	4 sockets German
Cable:	H07RN-F 3G2.5 mm2
Length:	3m
Current:	16A
Voltage:	250V~
Protection:	with shutter
Certificate:	GS, REACH





MULTI-OUTLET EXTENSION SOCKET




DLW-03GS/3K

MULTI-OUTLET EXTENSION SOCKET - GERMAN / FRENCH




Output:	3~6 Germany socket
Cable:	H05VV-F 3G1.5 mm2
Length:	1.5m
Current:	16A
Voltage:	23V~
Protection:	with shutter
Certificate:	GS, REACH




DLW-F03MK**MULTI-OUTLET EXTENSION SOCKET - FRENCH**

Output:	3~6 Germany socket
Cable:	H05VV-F 3G1.5 mm2
Length:	5m
Current:	16A
Voltage:	230V~
Protection:	with shutter
Certificate:	GS, REACH


**DLW-F603MKU2****4 WAY CABLE REEL WITH THERMAL CUT-OUT**

Output:	3~6 Germany socket + 2 USB
Cable:	H05VV-F 3G1.5 mm2
Length:	5m
Current:	16A
Voltage:	230V~
Protection:	with shutter
Certificate:	GS, REACH



DLW-F803M**MULTI-OUTLET EXTENSION SOCKET - FRENCH**

Output:	2~6 Germany socket
Cable:	H05VV-F 3G1.5 mm2
Length:	5m
Current:	16A
Voltage:	230V~
Protection:	with shutter
Certificate:	GS, REACH

**DLW-F903M****MULTI-OUTLET EXTENSION SOCKET**

Output:	3~6 Germany socket + 2 USB
Cable:	H05VV-F 3G1.5 mm2
Length:	5m
Current:	16A
Voltage:	230V~
Protection:	with shutter
Certificate:	GS, REACH



EXTENSION CORD



EXTENSION CORD



DLW-F3006

ELECTRALOCK EXTENSION CORD WITH LOCKING MECHANISM - GERMANY




Cable:	H07RN-F 3G1.5 mm2
Length:	5m
Current:	16A
Voltage:	230V~
Protection:	with shutter
Certificate:	GS, REACH
IP:	IP44



DLW-FMZ3-01-F


EXTENSION CORD RIGHT-ANGLED PVC IP20 WHITE 3G1.5 H05VV-F



Cable:	H05VV-F 3G1.5 mm2
Length:	5m
Current:	16A
Voltage:	230V~
Protection:	with shutter
Certificate:	GS, REACH

**DLW-MZP1-01-G**


EXTENSION CORD SCHUKO SOCKET STRAIGHT RUBBER IP44 ORANGE 3G1.5 H05RR-F



Output:	3~6 Germany socket
Cable:	H05VV-F 3G1.5 mm2
Length:	5m
Current:	16A
Voltage:	230V~
Protection:	with shutter
Certificate:	GS, REACH


**DLW-F3001**

ELECTRALOCK EXTENSION CORD WITH LOCKING MECHANISM




Cable:	H05VV-F 3G1.5 mm2
Length:	5m
Current:	16A
Voltage:	230V~
Protection:	with shutter
Certificate:	GS, REACH
IP:	IP44



DLW-GP51-SPLIT**ELECTRALOCK CEE ADAPTOR SPLITTER 3-WAY IP44**

Cable:	H07RN-F 3G2.5 mm2
Length:	5m
Current:	16A
Voltage:	230V~
Protection:	with shutter
Certificate:	GS, REACH
IP:	IP44

**DLW-F603MKU2****4 WAY CABLE REEL WITH THERMAL CUT-OUT**

Output:	3~6 Germany socket + 2 USB
Cable:	H05VV-F 3G1.5 mm2
Length:	5m
Current:	16A
Voltage:	230V~
Protection:	with shutter
Certificate:	GS, REACH



INSUTRIAL PLUGS & SOCKETS













INDUSTRIAL PLUGS & SOCKETS

DLW-IIP-015 IP44

3PINS REWIRE ABLE PLUG FOR INDUSTRY USING













Socket:	2P+E,16A-6h	 
Feature:	Screwless	 
Voltage:	200-250V~	 
Frequency	50/60Hz	 
Color:	Blue/Grey	 
IP:	IP44	

DLW-IIP-016 IP44

5PINS REWIRE ABLE PLUG FOR INDUSTRY USING













Socket:	3P+N+E, 16A-6h	 
Feature:	Screwless	 
Voltage:	220/346V~ 240/415V~	 
Frequency	50/60Hz	 
Color:	Red/Grey	 
IP:	IP44	

DLW-IIP-017 IP44

5PINS REWIRE ABLE PLUG FOR INDUSTRY USING













Socket:	3P+N+E, 32A-6h	 
Feature:	Screwless	 
Voltage:	220/346V~ 240/415V~	 
Frequency	50/60Hz	 
Color:	Red/Grey	 
IP:	IP44	

DLW-IIP-018 IP44

5PINS REWIRE ABLE PLUG FOR INDUSTRY USING













Socket:	3P+N+E, 32A-6h	 
Feature:	Screwless	 
Voltage:	220/346V~ 240/415V~	 
Frequency	50/60Hz	 
Color:	Red/Grey	 
IP:	IP44	

DLW-IIP-019 IP44

3PINS FIXED PLUG FOR INDUSTRY USING













Socket:	2P+E, 16A-6h	 
Feature:	Screwless	 
Voltage:	200-250V~	 
Frequency	50/60Hz	 
Color:	Blue/Grey	 
IP:	IP44	

DLW-IIP-020 IP44

5PINS FIXED PLUG FOR INDUSTRY USING



Socket:	3P+N+E, 16A-6h	 
Feature:	Screwless	 
Voltage:	220/346V~ 240/415V~	 
Frequency	50/60Hz	 
Color:	Red/Grey	 
IP:	IP44	



DLW-IIP-021 IP44

5PINS FIXED PLUG FOR INDUSTRY USING



Socket:	3P+N+E, 32A-6h
Feature:	Screwless
Voltage:	220/346V~ 240/415V~
Frequency	50/60Hz
Color:	Red/Grey
IP:	IP44

DLW-IIS-016

IP44
3PINS REWIRE ABLE SOCKET FOR INDUSTRY USING

Socket:	2P+E, 16A-6h
Feature:	Screwless
Voltage:	200-250V~
Frequency	50/60Hz
Color:	Blue/Grey
IP:	IP44

**DLW-IIS-017**

IP44
5PINS REWIRE ABLE SOCKET FOR INDUSTRY USING

Socket:	3P+N+E, 16A-6h
Feature:	Screwless
Voltage:	220/346V~ 240/415V~
Frequency	50/60Hz
Color:	Red/Grey
IP:	IP44

**DLW-IIS-018**

IP44
5PINS REWIRE ABLE SOCKET FOR INDUSTRY USING

Socket:	3P+N+E, 32A-6h
Feature:	Screwless
Voltage:	220/346V~ 240/415V~
Frequency	50/60Hz
Color:	Red/Grey
IP:	IP44

**DLW-IIS-019**

IP67
5PINS REWIRE ABLE SOCKET FOR INDUSTRY USING

Socket:	3P+N+E, 32A-6h
Feature:	Screwless
Voltage:	220/346V~ 240/415V~
Frequency	50/60Hz
Color:	Red/Grey
IP:	IP67

**DLW-IIS-020**

IP44
5PINS FIXED SOCKET FOR INDUSTRY USING

Socket:	3P+N+E, 16A-6h
Feature:	Screwless
Voltage:	220/380V~ 240/415V~
Frequency	50/60Hz
Color:	Red/Grey
IP:	IP44

**DLW-IIS-021**

IP44
5PINS FIXED SOCKET FOR INDUSTRY USING

Socket:	3P+N+E, 32A-6h
Feature:	Screwless
Voltage:	220/346V~ 240/415V~
Frequency	50/60Hz
Color:	Red/Grey
IP:	IP44

**DLW-IIS-022****5PINS FIXED SOCKET FOR INDUSTRY USING**

IP44

Socket:	3P+N+E, 16A-6h
Feature:	Screwless
Voltage:	220/346V~ 240/415V~ 2P+E,16/250~, Schuko type
Frequency	50/60Hz
Color:	Red/Blue/Grey
IP:	IP44





DLW
Industrietechnik
GmbH

Looking for distributor partners!

Kastellstraße 33
47546 Kalkar Germany
dlw-group.com

sales@dlw-group.com